

TCT12 HIVIS CARGO TROUSER

CLASS 2 PREMIUM CARGO TROUSER

A hardwearing, versatile cargo trouser constructed from a premium 290gsm hardwearing polycotton fabric. Incorporates external kneepad pockets with two Reflexr™ Hi-vis bands on each which allow this garment to achieve EN ISO20471 Class 2. This trouser incorporates two side pockets, two multi-pocket cargo pockets and a button fasten rear pocket. High quality nylon zip with button fastening and spare button as standard.

Stain Resistant finish to the outside of the garment and bartacked at every stress point to extend the service life of these trousers.

Available in both Regular and Tall length, S-4XL.

with
REFLEXR[™]
High Performance Tape



TECHNICAL INFORMATION

ORDER REF. #	TCT12
COLOURS AVAILABLE:	YELLOW, ORANGE (GO/RT)
SIZES AVAILABLE:	S, M, L, XL, 2XL, 3XL, 4XL
	REGULAR - TALL LEG LENGTH
TYPICAL APPLICATIONS:	Tasks with a hi-vis requirement - traffic, warehousing, event management, construction, road works, driving etc.
MATERIAL:	290GSM 80/20 POLYCOTTON
PER CASE:	20 PIECES (INDIVIDUAL POLYBAG)
PER PACK:	1 PIECE PER POLYBAG

TECHNICAL INFORMATION:

EN ISO 20471:2013
+A1:2016



CERTIFICATION:

This product has been certified by: SATRA, SATRA Technology Centre, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD. UK **Notified body: 0321** in accordance with Article 10 of PPE Directive 89/686/EEC and has been shown to comply with the standards: EN ISO 20471:2013 - Class 2



HEAVYWEIGHT
FABRIC



STAIN RESISTANT
FINISH



REFLEXR[™]
HI VIS TAPE



INDIVIDUAL
POLYBAG



BARTACKED
STRESSPOINTS



MULTI-POCKET
DESIGN



KNEEPAD
POCKETS



CLASS 2
REFLECTIVITY

TD-TCT12.01/18 REV2

»» enhanced performance



Phone: +44 (0)1902 451 451
Email: sales@ultimateindustrial.co.uk
Web: traega.co.uk | ultimateindustrial.co.uk

TCT12G HIVIS CARGO TROUSER

CLASS 2 PREMIUM CARGO TROUSER

A hardwearing, versatile cargo trouser constructed from a premium 290gsm hardwearing polycotton fabric. Incorporates external kneepad pockets with two Reflexr™ Hi-vis bands on each which allow this garment to achieve EN ISO20471 Class 2. This trouser incorporates two side pockets, two multi-pocket cargo pockets and a button fasten rear pocket. High quality zip with button fastening and spare button as standard.

Stain Resistant finish to the outside of the garment and bartacked at every stress point to extend the service life of these trousers.

Available in both Regular and Tall length, S-4XL.

Tested to RIS-3279-TOM: ISSUE 1

with
REFLEXR[™]
High Performance Tape



TECHNICAL INFORMATION

ORDER REF. #	TCT12G
COLOURS AVAILABLE:	ORANGE (GO/RT), YELLOW
SIZES AVAILABLE:	S, M, L, XL, 2XL, 3XL, 4XL
	REGULAR - TALL LEG LENGTH
TYPICAL APPLICATIONS:	Tasks with a hi-vis requirement - traffic, warehousing, event management, construction, road works, driving etc.
MATERIAL:	290GSM 80/20 POLYCOTTON
PER CASE:	20 PIECES (INDIVIDUAL POLYBAG)
PER PACK:	1 PIECE PER POLYBAG

TECHNICAL INFORMATION:

EN ISO 20471:2013
+A1:2016



GO/RT 3279 Issue 8
RIS-3279-TOM:ISSUE 1



CERTIFICATION:

This product has been certified by: SATRA, SATRA Technology Centre, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD. UK **Notified body: 0321** in accordance with Article 10 of PPE Directive 89/686/EEC and has been shown to comply with the standards: EN ISO 20471:2013 - CLASS 2, RIS-3279-TOM: ISSUE 1



HEAVYWEIGHT
FABRIC



STAIN RESISTANT
FINISH



REFLEXR[™]
HI VIS TAPE



INDIVIDUAL
POLYBAG



BARTACKED
STRESSPOINTS



MULTI-POCKET
DESIGN



KNEEPAD
POCKETS



CLASS 2
REFLECTIVITY



RIS-3279-TOM
CERTIFIED

TD-TCT12G.01/18 REV2

»» enhanced performance



Phone: +44 (0)1902 451 451

Email: sales@ultimateindustrial.co.uk

Web: traega.co.uk | ultimateindustrial.co.uk

FITTING INSTRUCTIONS:

For a correct fit, please use the träega size guide for measurements and fitting tips. All conversions are approximate and fits may vary by style or personal preference.

»» enhanced performance

A	INCHES	CM	EURO	C 152 - 202 cm
S	36 - 38	92 - 96	46 - 48	
M	40 - 41	100 - 104	50 - 52	
L	42 - 44	108 - 112	54 - 56	
XL	46 - 48	116 - 124	58 - 62	
XXL	50 - 52	128 - 132	64 - 66	
3XL	54 - 55	136 - 140	68 - 70	
4XL	56 - 58	144 - 148	72 - 74	
5XL	60 - 64	152 - 160	76 - 80	

B	INCHES	CM	C	D
			CM	CM
S	30 - 32	76 - 80	REG 164-176	79
M	33 - 34	84 - 88		
L	36 - 38	92 - 96	TALL 176-188	84
XL	40 - 41	100 - 104		
XXL	42 - 44	108 - 112	X TALL 188-202	92
3XL	46 - 47	116 - 120		
4XL	48 - 50	124 - 128		

STORAGE:

Do not store in places subject to direct or strong sunlight. Store in clean, dry conditions and preferably in original packaging.

WASH CARE:



CERTIFICATION LEGENDS:

EN ISO 20471:2013
Class according to visible materials minimum area (Max 3)

Meets: GO/RT 3279 Issue 8, RIS-3279-TOM: Issue 1
Railway Group Standard RIS-3279-TOM defines the minimum requirements for high-visibility clothing for being conspicuous on the line-side or on or near the line.

MAINTENANCE:

The garment should be worn fastened at all times to provide the correct level of protection stated. Keep clean: should the high visibility properties of this garment become irrecoverably soiled or contaminated, replace immediately. The garment is suitable for wear during an entire working day and contains no toxic substances that are known to adversely affect user health. Do not attempt to repair damaged garments. Regular comparison against a new garment is recommended. Retro-reflective tape should not be ironed. Garment lifetime depends on: usage, care storage, number of washes etc. Garments should be discarded when the protective qualities no longer apply. See enclosed user instruction sheet for more information.

... If appropriate to the product, EC Declaration of Conformities, relevant certification and supporting documentation are available to access through your distributor, at the below web address(s) or by contacting Traega / UCI customer services.
... This document and any other statement provided herein by or on behalf of Traega / UCI are given for informational purposes and do not constitute a contractual agreement nor warranty of merchantability. Traega / UCI assumes no responsibility for the suitability or adequacy of an end user's selection of product for a specific purpose.

